


## SCOPE OF CERTIFICATION Enhanced Security Doorset to PAS24:2016

Manufacturer of Enhanced Security Doorsets in accordance with BM TRADA Q-Mark Scheme requirements.  
(Check with Secured by Design to ensure compliance with any additional requirements)

<b>Head office</b> <b>Dovista A/S</b> Bygholm Søpark 21D 8700 Horsens Denmark	<b>Manufacture site</b> <b>Dovista Polska</b> <b>SP z.o.o</b> Wędkowy 83-115 Swarozyn Poland	 Proud to be part of  <b>This scope of certification supports</b>  <b>Certificate Number 050/110</b>  The validity of this scope document should be checked against the current schedule of the Company's certification listed on the BM TRADA website <a href="http://www.bmtrada.com">www.bmtrada.com</a> .
Completed: <b>P. Andrews</b> 	Checked: <b>P. Wren</b> 	
Scope number: <b>D110-006</b>		
Issue: <b>8</b>	Date: <b>16 July 2022</b>	Details: <b>Review of scope</b>
Product Name:  <p style="text-align: center;"><b>FORMA Entrance Doorset Range</b> Inward Opening, Single and double leaf, Timber Doorset With or Without Sidelight or Toplight</p> <p style="text-align: center;"><b>FORMAPLUS Entrance Doorset Range</b> Inward Opening, Single and double leaf, Timber Doorset with Aluminium cladding With or Without Sidelight or Toplight</p> <p style="text-align: center;"><b>AURA Entrance Doorset Range</b> Inward Opening, Single and double leaf, Timber Doorset With or Without Sidelight or Toplight</p> <p style="text-align: center;"><b>AURAPLUS Entrance Doorset Range</b> Inward Opening, Single and double leaf, Timber Doorset with Aluminium cladding With or Without Sidelight or Toplight</p>	This document remains the intellectual property of BM TRADA. It shall not be made available to another person or company without the prior written permission of BM TRADA.	
<b>Doorset classification 'D'</b>	Test evidence is held on file by BM TRADA	
All Q-Mark certified doorsets must have evidence to demonstrate that the profiles, components and manufacturing procedures used meet the requirements of the appropriate material specific standards: BS 644 (timber); BS 4873 (aluminium); BS 6510 (steel); BS 7412 (PVC-U); BS 8529 (composite).		

### Weather rating

BS6375 part 1 Exposure category **1200** (on largest specimen single and double leaf)  
 BS6375 part 1 Exposure category **800U** (on largest specimen for double leaf doorsets with a leaf dimension over 905mm side and 2146mm high)

### Maximum door leaf size

Open in (not including frame)

1140mm wide x 2460mm high excluding false mullion  
 1166mm wide x 2460mm high including false mullion